

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	61	first adj (code tag flag state) same second adj (code tag flag state) same (indicator parameter attribute pointer) and (alternate substitut\$3 replace) adj3 (id identifier address indicator parameter attribute pointer) and (@ad<"20011221" @rlad<"20011221")	US-PGPUB; USPAT	OR	ON	2006/06/08 14:16
L2	38	first adj (code tag flag state) same second adj (code tag flag state) same (indicator parameter attribute pointer) and (alternate substitut\$3 replace) adj3 (id identifier address indicator parameter attribute pointer) and (@ad<"20011221" @rlad<"20011221") and forward\$3	US-PGPUB; USPAT	OR	ON	2006/06/08 14:20
L3	0	first adj (code tag flag state) same second adj (state) same (indicator parameter attribute pointer) and (alternate substitut\$3 replace) adj3 (id identifier address indicator parameter attribute pointer) and (@ad<"20011221" @rlad<"20011221") and forward\$3 and (secur\$3 protect\$3) adj3 (mode state)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:21
L4	22	first adj (code tag flag state) same second adj (state) same (indicator parameter attribute pointer) and (alternate substitut\$3 replace) adj3 (id identifier address indicator parameter attribute pointer) and (@ad<"20011221" @rlad<"20011221") and forward\$3 and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:26
L5	424	MAC and (alternate substitut\$3 replace) adj3 (id identifier address indicator parameter attribute pointer) and (@ad<"20011221" @rlad<"20011221") and forward\$3 and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:27
L6	15	(alternate substitut\$3 replace) adj3 (id identifier address indicator parameter attribute pointer).ab. and (@ad<"20011221" @rlad<"20011221") and MAC and forward\$3 and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:55

## EAST Search History

L7	25	(alternate substitut\$3 replace) adj3 (id identifier address indicator parameter attribute pointer).clm. and (@ad<"20011221" @rlad<"20011221") and MAC and forward\$3 and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:27
L8	33	(6 7)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:28
L9	12	(6 7) and real adj (mode time)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:29
L11	33	(6 7) and (@ad<"20011221" @rlad<"20011221") and MAC and forward\$3 and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:49
L12	23	(6 7) and (@ad<"20011221" @rlad<"20011221") and MAC adj address and forward\$3 and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:51
L13	14	(6 7) and (@ad<"20011221" @rlad<"20011221") and MAC adj address and forward\$3 same (dns server router gateway) and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:52
L14	11	(6 7) and (@ad<"20011221" @rlad<"20011221") and MAC adj address and forward\$3 same (dns domain adj server router gateway) and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:57
L15	4	(alternate substitut\$3 replace) adj3 (id identifier address indicator parameter attribute pointer) same forward and privilege and (@ad<"20011221" @rlad<"20011221") and MAC and forward\$3 and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:57
L16	0	15 and (@ad<"20011221" @rlad<"20011221") and MAC adj address and forward\$3 same (dns domain adj server router gateway) and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:57
L17	1	(alternate substitut\$3 replace) adj3 (id identifier address indicator parameter attribute pointer) same forward and privilege and (@ad<"20011221" @rlad<"20011221") and MAC adj address and (dns domain adj server router gateway) and (secur\$3 protect\$3)	US-PGPUB; USPAT	OR	ON	2006/06/08 14:58